				Ad	lherence of loca	l formulary to N	lICE
Technology appraisal (TA) (hyperlinked)	Date of TA Release	Availability of medicine for NHS patients with this medical condition, as indicated by NICE	Yes	'es N/A	Date of local decision due (90 days)	Date of local decision made	Time to implement days
<u>TAS65- Benralizumab for</u> <u>treatingsevere eosinophilic</u> <u>asthmo</u>	6 <sup>th</sup> March 2019	Evidence-based recommendations on benralizumab (Fasenra) for treating severe eosinophilic asthma in adults. NHSE Commissioned	Ŷ		04/06/2019	15/05/2019	70 days
<u>TA566 – Cochlear implants for</u> <u>children and adults with severe</u> <u>to profound deafness</u>	7 <sup>th</sup> March 2019	Evidence-based recommendations on cochlear implants for children and adults with severe to profound deafness.	Ŷ		05/06/2019	15/05/2019	69 days
<u>TAS67 - Tisagenlecleurel for</u> treating relapsed or refractory diffuse large 8-cell lymphoma after 2 or more systemic therapies	13 <sup>th</sup> March 2019	Evidence-based recommendations ON tisagenlecleucel therapy (Kymriah) for treating relapsed or refractory diffuse large B-cell lymphoma in adults after 2 or more systemic therapies. NHSE Cancer Drug Fund	Ŷ		11//06/2019	15/05/2019	63 days
<u>TA568 – Abatacept for treating</u> <u>psoriatic arthritis after DMARDs</u>	N/A-appraisal terminated	NICE is unable to make a recommendation about the use in the NHS of abatacept (Orencia) for treating psoriatic arthritis after DMARDs in adults because no evidence submission was received from Bristol– Myers Squibb.		N/A	N/A	N/A	
T <u>A569 – Pertuzamob for</u> adjuvant treatment of HER2- positive early stage breast cancer	20 <sup>th</sup> March 2019	Evidence-based recommendations on pertuzumab (Perjeta) for adjuvant treatment of HER2-positive early stage breast cancer in adults eosinophilic asthma in adults. NHSE Commissioned	Ŷ		18/06/2019	15/05/2019	56 days
<u>TA570 - Pembrolizumab for</u> <u>treating recurrent or metastatic</u> <u>squamous cell carcinoma of the</u> <u>head and neck after platinum-</u> <u>based chemotherapy</u>	20 <sup>th</sup> March 2019 - appraisal terminated	NICE is unable to make a recommendation about the use in the NHS of pembrolizumab (Keytruda) for treating recurrent or metastatic squamous cell carcinoma of the head and neck after platinum-based chemotherapy because no evidence submission was received from Merck Sharp & Dohme.	N/A		N/A	N/A	N/A
<u>TAS71 – Bringtinib for treating</u> ALK-positive advanced non- small-cell lung cancer after <u>errotinib</u>	20 <sup>th</sup> March 2019	Evidence-based recommendations on brigatinib (Alunbrig) for treating anaplastic lymphoma kinase (ALK)-positive advanced non-small-cell lung cancer in adults who have already had crizotinib. NHSE Commissioned	Ŷ		18/06/2019	15/05/2019	56 days
<u>TA572 – Ertualiflozin as</u> monotherapy or with metformin for treating type 2 diabetes	27 <sup>th</sup> March 2019	Evidence-based recommendations on ertugliflozin (Steglatro) as monotherapy or with metformin for treating type 2 diabetes in adults. CCG Commissioned	Ŷ		25/06/2019	15/05/2019	49 days
<u>TAS73 - Daratumumab with</u> <u>bortezomib and</u> <u>dexamethasone for previously</u> <u>treated multiple myeloma</u>	10 <sup>th</sup> April 2019	Evidence-based recommendations on daratumumab (Darzalex) with bortezomib and dexamethasone for previously treated multiple myeloma in adults. NHSE Cancer Drug Fund	Ŷ		09/07/2019	15/05/2019	35 days
<u>TAST4 – Certolizumab.segol for</u> <u>treating moderate to severe</u> <u>plaque psoriasis</u>	17 <sup>th</sup> April 2019	Evidence-based recommendations on certolizumab pegol (Cimzia) for treating moderate to severe plaque psoriasis in adults. CCG Commissioned - Blueteq Form	Ŷ		16/07/2019	15/05/2019	28 days
TAS75 – Tildrakizumab for treating moderate to severe plaque psoriosis	17 <sup>th</sup> April 2019	Evidence-based recommendations on tildrakizumab (Ilumetri) for treating moderate to severe plaque psoriasis in adults. CCG Commissioned - Blueteq Form	Ŷ		16/07/2019	15/05/2019	28 days
<u>TA576 – Bosutinib for untreated</u> <u>chronic myeloid leukaemia</u>	17 <sup>th</sup> April 2019 - appraisal terminated	NICE is unable to make a recommendation about the use in the NHS of bosutinib (Bosulif) for untreated chronic myeloid leukaemia in adults because no evidence submission was received from Pfizer	N/A		N/A	N/A	N/A

				Ac	lherence of loca	local local decision due decision made 3/07/2019 15/05/2019			
Technology appraisal (TA) (hyperlinked)	Date of TA Release	Availability of medicine for NHS patients with this medical condition, as indicated by NICE	Yes	N/A	Date of local decision due (90 days)	local decision	Time to implement days		
<u>TA577 – Brentuximab vedotin for</u> <u>treating CD30-positive cutaneous</u> <u>T-cell lymphomo</u>	24 <sup>th</sup> April 2019	Evidence-based recommendations on brentuximab vedotin (Adcetris) for treating CD30-positive cutaneous T-cell lymphoma in adults. NHSE Commissioned	Ŷ		23/07/2019	15/05/2019	21days		
<u>TA578 - Durvalumab for treating</u> <u>locally advanced unrescetable</u> <u>non-small-cell lung cancer after</u> <u>platinum-based chemoradiation</u>	1 <sup>st</sup> May 2019	Evidence-based recommendations on durvalumab (Imfinzi) for treating locally advanced unresectable non-small-cell lung cancer after platinum-based chemoradiation in adults.	Ŷ		30/07/2019	19/06/2019	49 Days		
1A579 – Abemaciclib with fulvestrant for treating hormone receptor-positive, HER2-negative advanced breast cancer after endocrine therapy	8 <sup>th</sup> May 2019	Evidence-based recommendations on abemaciclib (Verzenios) for hormone receptor-positive, human epidermal growth factor 2 (HER2)-negative locally advanced or metastatic breast cancer in adults who have had endocrine therapy.	Ŷ		6/08/2019	19/06/2019	42 Days		
<u>TA580 – Enzalutamide for</u> <u>hormone-relapsed non-</u> <u>metastatic prostate cancer</u>	15 <sup>th</sup> May 2019	Evidence-based recommendations on enzalutamide (Xtandi) for treating high-risk hormone-relapsed non-metastatic prostate cancer in adults.	N		13/08/2019	19/06/2019	35 Days		
TA581 – Nivolumab with jailimumab for untreated advanced renal cell carcinoma	15 <sup>th</sup> May 2019	Evidence-based recommendations on nivolumab (Opdivo) with ipilimumab (Yervoy) for untreated advanced renal cell carcinoma that is intermediate - or poor-risk in adults.	Ŷ		13/08/2019	19/06/2019	35 Days		
<u>TA582 – Cabozantinib for</u> <u>previously treated advanced</u> <u>hepatocellular carcinoma</u>	24 <sup>th</sup> May 2019 - appraisal terminated	NICE is unable to make a recommendation about the use in the NHS of cabozantinib (Cometriq) for previously treated advanced hepatocellular carcinoma in adults because Ipsen Ltd did not provide an evidence submission. We will review this decision if the company decides to make a submission.	N/A		N/A	N/A	N/A		
<u>TA583 – Ertugliflozin with</u> <u>metformin and a dipeptidyl</u> <u>peptidase-4 inhibitor for treatina</u> type 2 diabetes	5 <sup>th</sup> June 2019	Evidence-based recommendations on ertugliflozin (Steglatro) with metformin and a dipeptidyl peptidase-4 inhibitor for treating type 2 diabetes in adults.	Ŷ		23/07/2019	21/08/2019	77 days		
1A584 – Atezalizumab in combination for treating metastatic non-squamous non- small-cell lung concer	5 <sup>th</sup> June 2019	Evidence-based recommendations on atezolizumab (Tecentriq) with bevacizumab (Avastin), carboplatin and paclitaxel for metastatic non-squamous non-small-cell lung cancer in adults. NHSE Commissioned	Ŷ		23/07/2019	21/08/2019	77 days		
<u>TA585 – Ocrelizumab for treating</u> primary progressive multiple <u>sclerosis</u>	12 <sup>th</sup> June 2019	Evidence-based recommendations on ocrelizumab (Ocrevus) for treating primary progressive multiple sclerosis in adults. NHSE Commissioned	Ŷ		30/07/2019	21/08/2019	70 days		
<u>TA586 – Lenalidomide plus</u> <u>dexamethasone for multiple</u> <u>mveloma after 1 treatment with</u> <u>bortezomib</u>	26 <sup>th</sup> June 2019	Evidence-based recommendations on lenalidomide (Revlimid) plus dexamethasone for multiple myeloma after 1 treatment with bortezomib in adults. NHS England Commissioned	Ŷ		13/08/2019	21/08/2019	56 days		
TA587 – Lenalidornide plus dexamethasone for previously untreated multiple myeloma	26 <sup>th</sup> June 2019	Evidence-based recommendations on lenalidomide (Revlimid) plus dexamethasone for previously untreated multiple myeloma in adults. NHS England Commissioned	Ŷ		13.08/2019	21/08/2019	56 days		
TA322- Lenalidomide for treating myelodysplastic syndromes associated with an isolated deletion 5a sytogenetic abnormality	26 <sup>th</sup> June 2019 (updated)	Evidence-based recommendations on lenalidomide (Revlimid) for treating myelodysplastic syndromes associated with an isolated deletion 5q cytogenetic abnormality in adults.	Ŷ		13/08/2019	21/08/2019	56 days		
1A121 – Lenalidamide for the treatment of multiple myeloma in people who have received at least 2 prior therapies	26 <sup>th</sup> June 2019 (updated)	Evidence-based recommendations on lenalidomide (Revlimid) for treating multiple myeloma in adults who have had at least 2 prior therapies.	Ŷ		13/08/2019	21/08/2019	56 days		

				A	l formulary to N	ary to NICE		
Technology appraisal (TA) (hyperlinked)	Date of TA Release	Availability of medicine for NHS patients with this medical condition, as indicated by NICE	Yes	N/A	Date of local decision due (90 days)	Date of local decision made	Time to implement days	
<u>TAS88 – Nusinersen for treating</u> <u>spinal muscular atrophy</u>	24 <sup>th</sup> July 2019	Evidence-based recommendations on nusinersen (Spinraza) for treating spinal muscular atrophy in children and adults. NHS England Commissioned	Ŷ		10/09/2019	21/08/2019	28 days	
<u>TAS89 – Blinatumomab for</u> <u>treating acute lymphoblastic</u> <u>leukaemia in remission with</u> <u>minimal residual disease activity</u>	24 <sup>th</sup> July 2019	Evidence-based recommendations on blinatumomab (Blincyto) for treating Philadelphia-chromosome-negative CD19- positive B-precursor acute lymphoblastic leukaemia in remission with minimal residual disease activity in adults. NHS England Commissioned	Ŷ		10/09/2019	21/08/2019	28 days	
<u>TAS96 – Risankizumah for</u> <u>treating moderote to severe</u> <u>planue psoriasis</u>	21 <sup>st</sup> August 2019 Fast Track	Evidence-based recommendations on risankizumab (Skyrizi) for treating moderate to severe plaque psoriasis in adults. CCG Commissioned	Ŷ		8/10/2019	21/08/2019	0 days	
<u> TAS92 – Cemiplimab for treating</u> <u>metastatic or locally advanced</u> <u>cutaneous squamous cell</u> <u>curcinoma</u>	7 <sup>th</sup> August 2019	Evidence-based recommendations on cemiplimab (Libtayo) for treating locally advanced or metastatic cutaneous squamous cell carcinoma in adults. Cancer Drugs Fund	Ŷ		24/09/2019	18/09/2019	42 days	
<u>TA593 – Ribociclib with</u> <u>fulvestrant for treating hormone</u> <u>receptor-positive, HER2-</u> <u>negative, advanced breast</u> <u>cancer</u>	14 <sup>th</sup> August 2019	Evidence-based recommendations on ribociclib (Kisqali) for hormone receptor- positive, human epidermal growth factor receptor 2 (HER2)-negative, locally advanced or metastatic breast cancer in adults who have had previous endocrine therapy. Cancer Drugs Fund	Ŷ		1/10/2019	18/09/2019	35 days	
<u>TA594 – Brentuximab vedotin for</u> <u>untreated advanced Hodąkin</u> <u>lymphoma</u>	14 <sup>th</sup> August 2019 Appraisal terminated	NICE is unable to make a recommendation about the use in the NHS of brentuximab vedotin (Adcetris) for untreated advanced Hodgkin lymphoma in adults because Takeda did not provide an evidence submission. We will review this decision if the company decides to make a submission.	N/A		N/A	N/A	N/A	
<u> TA595 – Dacomitinin for</u> <u>untreated EGER mutation-</u> <u>positive non-small-cell luna</u> <u>cancer</u>	14 <sup>th</sup> August 2019	Evidence-based recommendations on dacomitinib (Vizimpro) for untreated locally advanced or metastatic epidermal growth factor receptor (EGFR) mutation-positive non-small-cell lung cancer in adults. NHS England Commissioned	Ŷ		1/10/2019	18/09/2019	35 days	
<u>TA597 – Dapoqliflozin with</u> <u>insulin for treating type1</u> <u>diabetes</u>	28 <sup>th</sup> August 2019	Evidence-based recommendations on dapagliflozin (Forxiga) with insulin for treating type 1 diabetes not controlled by insulin therapy alone in adults with a body mass index (BMI) of at least 27 kg/m <sup>2</sup> . CCG Commissioned	Ŷ		15/10/2019	18/09/2019	21 days	
<u>TAS98 – Olaparib for</u> <u>maintenance treatment of BRCA</u> <u>mutation-positive advanced</u> <u>ovarian, fallopian tube or</u> <u>peritoneal cancer after response</u> <u>to first-line platinum-based</u> <u>chemotherapy</u>	28 <sup>th</sup> August 2019	Evidence-based recommendations on olaparib (Lynparza) for treating BRCA mutation-positive, advanced ovarian, fallopian tube or primary peritoneal cancer that has responded to first-line platinum- based chemotherapy in adults. Cancer Drugs Fund	Ŷ		15/10/2019	18/09/2019	21 days	
<u>TAS99 – Sodium zirconium</u> cyclosilicato for treating hyperkalaemia	4 <sup>th</sup> September 2019	Evidence-based recommendations on sodium zirconium cyclosilicate (Lokelma) for treating hyperkalaemia in adults. CCG Commissioned	Ŷ		22/10/2019	16/10/2019	42 days	

				Ad	herence of loca	l formulary to N	IICE
Technology appraisal (TA) (hyperlinked)	Date of TA Release	Availability of medicine for NHS patients with this medical condition, as indicated by NICE	Yes	Yes N/A	Date of local decision due (90 days)	Date of local decision made	Time to implement days
<u> TA600 – Pembrolizumab with</u>		Evidence-based recommendations on	1				
<u>carboolatin and paclitoxel for</u> untreated metastatic non-smail- <u>cell luna cancer</u>	11 <sup>th</sup> September 2019	pembrolizumab (Keytruda) with carboplatin and paclitaxel for adults with untreated metastatic squamous non-small-cell lung cancer. Cancer Drugs Fund	Y		29/10/2019	16/10/2019	35 days
<u>TA601 – Bezlotoxumab for</u> preventing recurrent Clostridium difficile infection	25 <sup>th</sup> September 2019	NICE is unable to make a recommendation on bezlotoxumab (Zinplava) for preventing recurrent <i>Clostridium difficile</i> infection in adults because Merck Sharp & Dohme did not provide an evidence submission.	N		12/11/2019	16/10/2019	21 days
<u>TA602 – Pomalidomide with</u> <u>bortezomib and dexamethasone</u> <u>for treating relapsed or</u> <u>refractory multiple myeloma</u>	25 <sup>th</sup> September 2019 Appraisal terminated	NICE is unable to make a recommendation on pomalidomide (Imnovid) with bortezomib and dexamethasone for treating relapsed or refractory multiple myeloma in adults because Celgene did not provide an evidence submission.	N/A		N/A	N/A	N/A
<u>TA603 – Lenalidomide with</u> <u>bortezomib and dexamethasone</u> <u>for untreated multiple myeloma</u>	25 <sup>th</sup> September 2019 Appraisal terminated	NICE is unable to make a recommendation on lenalidomide (Revlimid) with bortezomib and dexamethasone for untreated multiple myeloma in adults because Celgene did not provide an evidence submission.	N/A		N/A	N/A	N/A
<u>TA565 – Benralizumab for</u> <u>treating severe easinophilic</u> <u>arthmo</u>	3 <sup>rd</sup> September 2019 <b>(updated)</b>	Evidence-based recommendations on benralizumab (Fasenra) for treating severe eosinophilic asthma in adults. [In September 2019 NICE removed a statement that benralizumab is not recommended if neither mepolizumab nor reslizumab is recommended. The statement was not needed because if asthma does not meet the criteria for using benzalizumab, then it also does not meet the criteria for using mepolizumab or reslizumab.] NHS England Commissioned	Y		N/A	N/A	N/A
<u>TA604 – Idelalisib for treatina</u> refractory follicular lymphoma	2 <sup>nd</sup> October 2019	Evidence-based recommendations on idelalisib (Zydelig) for follicular lymphoma that has not responded to 2 prior lines of treatment in adults.	N		19/11/2019	20/11/2019	49 days
TAGOS – Xeomin (botulinum neurotoxin type A) for treating chronic sialorrhoea.	9 <sup>th</sup> October 2019	Evidence-based recommendations on Xeomin (botulinum neurotoxin type A) for treating chronic sialorrhoea (excessive salivation and drooling) caused by neurological conditions in adults. CCG Commissioned (Blueteq Form req)	Ŷ		26/11/2019	20/11/2019	42 days
<u>TA606 – Lanadelumab for</u> <u>preventing recurrent attacks of</u> <u>hereditary angloedema</u>	16 <sup>th</sup> October 2019	Evidence-based recommendations on lanadelumab (Takhzyro) for preventing recurrent attacks of hereditary angioedema in people aged 12 and over. NHS England Commissioned	Ŷ		3/12/2019	20/11/2019	35 days

				A	dherence of loca	l formulary to N	IICE
Technology appraisal (TA) (hyperlinked)	Date of TA Release	Availability of medicine for NHS patients with this medical condition, as indicated by NICE	Yes	N/A	Date of local decision due (90 days)	Date of local decision made	Time to implement days
<u>TA607 – Rivaroxaban for</u> preventing atherothrombotic events in people with coronary or peripheral artery disease	17 <sup>th</sup> October 2019	Evidence-based recommendations on rivaroxaban (Xarelto) for preventing atherothrombotic events in adults with coronary or peripheral artery disease. CCG Commissioned	Y		4/12/2019	20/11/2019	34 days
TA608 – Ibrutinib with rituximab for treating Waldenstrom's macroglobulinaemia	30 <sup>th</sup> October 2019 Appraisal terminated.	NICE is unable to make a recommendation on ibrutinib (Imbruvica) with rituximab for treating Waldenstrom's macroglobulinaemia in adults because Janssen did not provide an evidence submission.	N/A		N/A	N/A	N/A
<u>TA609 – Ramucirumab for</u> t <u>reating unresectable</u> hepatocellular carcinoma after sorafenib	30 <sup>th</sup> October 2019 Appraisal terminated.	NICE is unable to make a recommendation on ramucirumab (Cyramza) for treating unresectable hepatocellular carcinoma in adults who have had sorafenib, because Lilly did not provide an evidence submission. They will review this decision if the company decides to make a submission.	N/A		N/A	N/A	N/A
<u>TA590 – Fluacinolone acetonide</u> intravitreal implant for treating recurrent non-infectious uveitis	31 <sup>st</sup> July 2019	Evidence-based recommendations on fluocinolone acetonide intravitreal implant (Iluvien) for treating recurrent non- infectious uveitis in adults. CCG Commissioned (Blueteq Form req)	Y		17/09/2019	18/12/2019	140 days
TA591 – Letermovir for <u>preventing cytomegalovirus</u> <u>discase after a stem cell</u> transplan <u>t</u>	31 <sup>st</sup> July 2019	Evidence-based recommendations on letermovir (Prevymis) for preventing cytomegalovirus disease after a stem cell transplant. NHS England Commissioned	Y		17/09/2019	18/12/2019	140 days
<u> TA464 – Bisphosphonates for</u> treating osteoporosis	8 <sup>th</sup> July 2019 - updated	Evidence-based recommendations on the bisphosphonates alendronic acid, ibandronic acid, risedronate sodium and zoledronic acid for treating osteoporosis.	Y		N/A	N/A	N/A
<u>TA610 – Pentosan polysulfate</u> sodium for treating bladder pain syndrome	13 <sup>th</sup> November 2019	Evidence-based recommendations on pentosan polysulfate sodium (Elmiron) for bladder pain syndrome in adults. NHS England Commissioned	Y		31/12/2019	18/12/2019	35 days
TA <u>611</u> Rucaparib_for maintenance treatment of relapsed platinum-sensitive ovarian_fallopian <u>tube or</u> peritoneal cancer	13 <sup>th</sup> November 2019	Evidence-based recommendations on rucaparib (Rubraca) for treating relapsed platinum-sensitive ovarian, fallopian tube or primary peritoneal cancer that has responded to platinum-based chemotherapy in adults. Cancer Drugs Fund	Y		31/12/2019	18/12/2019	35 days
TA <u>512 – Neratinib for extended</u> adjuvant treatment of hormone receptor-positive, HER2-positive early stage breast cancer after adjuvant trastuzumab	20 <sup>th</sup> November 2019	Evidence-based recommendations on neratinib (Nerlynx) for extended adjuvant treatment of hormone receptor-positive, human epidermal growth factor receptor 2 (HER2)-positive early stage breast cancer in adults. NHS England Commissioned	Y		7/01/2020	18/12/2019	28 days
TA613 – Fluocinolone acetonide intravitreal implant for treatina chronic diabetic macular oedema in phakic eves after an inadequate response to previous therapy	20 <sup>th</sup> November 2019	Evidence-based recommendations on fluocinolone acetonide intravitreal implant (Iluvien) for chronic diabetic macular oedema that has inadequately responded to previous therapy, in adults whose eyes have natural lenses (phakic eyes).	N		7/01/2020	18/12/2019	28 days
TA614 – Connabidiol with clobazam for treating seizures associated with Drovet dyndrome	18 <sup>th</sup> December 2019	Evidence-based recommendations on cannabidiol (Epidyolex) with clobazam for seizures associated with Dravet syndrome in people aged 2 years and older. NHS England Commissioned	Y		6/02/2020	15/01/2020	28 days
<u>TA615 Cannabidial with</u> <u>clobazam for treating seizures</u> associated with Lennox-Gastou <u>t</u> syndrome	18 <sup>th</sup> December 2019	Evidence-based recommendations on cannabidiol (Epidyolex) with clobazam for seizures associated with Lennox–Gastaut syndrome in people aged 2 years and older. NHS England Commissioned	Y		6/02/2020	15/01/2020	28 days

			Adherence of local formulary to NICE				
Technology appraisal (TA) (hyperlinked)	Date of TA Release	Availability of medicine for NHS patients with this medical condition, as indicated by NICE	Yes	Yes N/A	Date of local decision due (90 days)	Date of local decision made	Time to implement days
<u>TA616 – Cladribine for treating</u> relapsing-remitting multiple <u>scleroisis</u>	19 <sup>th</sup> December 2019	Evidence-based recommendations on cladribine (Mavenclad) for relapsing- remitting multiple sclerosis in adults. NHS England Commissioned	Y		7/01/2020	15/01/2020	27 days
<u>TA617 – Lusutromboppa for</u> treating thrombocytopenia in people with chronic liver disease needing a planned invasive procedure	8 <sup>th</sup> January 2020	Evidence-based recommendations on lusutrombopag (Mulpleo) for treating severe thrombocytopenia in adults with chronic liver disease needing a planned invasive procedure. NHS England Commissioned	Y		25/02/2020	19/02/2020	42 days
<u>TA618 – Atezolizumab with</u> carboplatin and nab-paclitaxel for untreated advanced non- squamous non-small-cell lung cancer	15 <sup>th</sup> January 2020	NICE is unable to make a recommendation on atezolizumab (Tecentriq) with carboplatin and nab-paclitaxel for untreated advanced non-squamous non- small-cell lung cancer, because Roche did not provide an evidence submission. They will review this decision if the company decides to make a submission.	N		03/03/2020	19/02/2020	35 days
<u>TA619 – PolbacicIIb with</u> <u>fulvestront for treating</u> harmone receptor-positive, <u>HER2-negative, advanced</u> <u>breast cancer</u>	15 <sup>th</sup> January 2020	Evidence-based recommendations on palbociclib (Ibrance) with fulvestrant for hormone receptor-positive, human epidermal growth factor receptor 2 (HER2)-negative locally advanced or metastatic breast cancer in adults who have had endocrine therapy. Cancer Drugs Fund	Y		03/03/2020	19/02/2020	35 days
<u>TA620 – Olavarib for</u> <u>maintenance treatment of</u> <u>relapsed platinu-sensitive</u> <u>ovarian, fallopian tube or</u> <u>peritoneal cancer</u>	15 <sup>th</sup> January 2020	Evidence-based recommendations on olaparib (Lynparza) for maintenance treatment of relapsed platinum-sensitive ovarian, fallopian tube or primary peritoneal cancer in adults with a BRCA1 or BRCA2 mutation. Cancer Drugs Fund	Ŷ		03/03/2020	19/02/2020	35 days
<u>TA621 – Osimertinib for</u> <u>untreated EGFR mutation-</u> <u>positive non-small-cell lung</u> <u>cancer</u>	22 <sup>nd</sup> January 2020	Evidence-based recommendations on osimertinib (Tagrisso) for untreated locally advanced or metastatic epidermal growth factor receptor (EGFR) mutation-positive non-small-cell lung cancer in adults.	N/A		10/03/2020	19/02/2020	28 days