Name of	Older Residents	Older Residents (>65) with Suspected Urinary Tract Infection (UTI)					
Resident:	Guidance for Cal	 Guidance for Care Home staff: Complete sections 1 to 4 and residents details, send to GP and add the original form to the residents notes. Do NOT perform urine dipstick in patients >65 years. CLEAR URINE – UTI highly unlikely Send MSU if male or treatment failure or ≥ 2 signs of infection (especially dysuria, fever or new incontinence) 					
DOB: Care Home:	 Do NOT perform 						
Date: Carer:	• Send MSU if ma						
1) Catheter: Y / N	Reason for catheter:						
	source? Y / N Circle any NEW sy	/mptoms:					
2) Signs of any other infection		•					
*Cough *Shortness of Breath 3) Can the resident communica	*Sputum Production *Naus ate symptoms? Y / N 4) Tic	sea/Vomiting ck the signs and syn	nptoms present in the two tables below:	ollen area of skin			
*Cough *Shortness of Breath 3) Can the resident communica NEW ONSET - Sign/Symptom	*Sputum Production *Naus ate symptoms? Y / N 4) Tic What does this mean?	sea/Vomiting	nptoms present in the two tables below: Sign/Symptom	ollen area of skin Tick if present			
*Cough *Shortness of Breath 3) Can the resident communica NEW ONSET - Sign/Symptom Dysuria	*Sputum Production *Naus ate symptoms? Y / N 4) Tic What does this mean? Pain on urinating	ck the signs and syn Tick if present	nptoms present in the two tables below:				
*Cough *Shortness of Breath 3) Can the resident communica NEW ONSET - Sign/Symptom Dysuria Urgency	*Sputum Production *Naus ate symptoms? Y / N 4) Tic What does this mean? Pain on urinating Need to pass urine urgently/new incontinence	ck the signs and syn Tick if present	nptoms present in the two tables below: Sign/Symptom New onset or worsening confusion or agitation				
*Cough *Shortness of Breath 3) Can the resident communica NEW ONSET - Sign/Symptom Dysuria Urgency Frequency	*Sputum Production *Naus ate symptoms? Y / N 4) Tic What does this mean? Pain on urinating Need to pass urine urgently/new incontinence Need to urinate more often than usual	ck the signs and syn Tick if present	Sign/Symptom New onset or worsening confusion or agitation Temperature above 37.9°C or 1.5°C above baseline on two occasions during 12 hours (if able to measure) Heart Rate >90 beats/min (if able to measure)				
*Cough *Shortness of Breath 3) Can the resident communica NEW ONSET - Sign/Symptom Dysuria Urgency Frequency Suprapubic tenderness	*Sputum Production *Naus ate symptoms? Y / N 4) Tic What does this mean? Pain on urinating Need to pass urine urgently/new incontinence Need to urinate more often than usual Pain in lower tummy/above pubic area	ck the signs and syn Tick if present	Sign/Symptom New onset or worsening confusion or agitation Temperature above 37.9°C or 1.5°C above baseline on two occasions during 12 hours (if able to measure)				
*Cough *Shortness of Breath 3) Can the resident communica NEW ONSET - Sign/Symptom Dysuria Urgency Frequency Suprapubic tenderness Haematuria	*Sputum Production *Naus ate symptoms? Y / N 4) Tic What does this mean? Pain on urinating Need to pass urine urgently/new incontinence Need to urinate more often than usual Pain in lower tummy/above pubic area Visible blood in urine	ck the signs and syn Tick if present	Sign/Symptom New onset or worsening confusion or agitation Temperature above 37.9°C or 1.5°C above baseline on two occasions during 12 hours (if able to measure) Heart Rate >90 beats/min (if able to measure)				
	*Sputum Production *Naus ate symptoms? Y / N 4) Tic What does this mean? Pain on urinating Need to pass urine urgently/new incontinence Need to urinate more often than usual Pain in lower tummy/above pubic area	ck the signs and syn Tick if present	Sign/SymptomNew onset or worsening confusion or agitationTemperature above 37.9°C or 1.5°C above baseline on two occasions during 12 hours (if able to measure)Heart Rate >90 beats/min (if able to measure)Respiratory rate >20 breaths/min (if able to measure)				

- (a) Review innours
 (b) Mid Stream Urine specimen (MSU) particularly if ≥ 2 symptoms
- (c) Give person specific hydration advice

NB. Urine should be sent in case of suspicion of complicated infection, symptoms suggestive of pyelonephritis, failure to respond to initial therapy	or
recurrent symptoms after treatment of previous UTI.	

Other action:	Name:	Designation:	Date:	
Local Antimicrobial guidelines can be found <u>here</u>	Download the East L and searching for 'M		visiting the appropriate app store for your device	ē

Version 1: March 2019

(e) Antibiotic Prescribed:.....