## LSCMMG Asthma Guideline for Adults (aged 17 years and over): EXAMPLE Inhaler Pathways for Fixed Dose Regimen

- Other pathways are available eg Easyhaler / Breezhaler in line with local policies
- •All inhalers must be prescribed by brand.
- •A Dry Powder Inhaler (DPI) should be the first choice for inhaled therapy, if clinically appropriate
- •A Short Acting Beta 2 Agonist (SABA) Reliever Therapy is also required on fixed dose regimens (To be continued throughout pathway)
- •Please consider environmental impact See Greener Asthma Adult Guideline
- Any new inhaler or change in regimen should be reviewed after 4 weeks

Stepping UP

Stepping DOWN 🗧

Examples of Dry Powder Inhaler Fixed Regimen Pathway			
Low Dose ICS	Low Dose ICS + LABA	Medium Dose ICS +LABA	High Dose ICS +LABA
QVAR 100 Autohaler beclometasone dipropionate 100µg /puff 1 puff twice daily	Fostair Nexthaler 100/6 formoterol fumarate dihydrate 6µg and beclometasone dipropionate 100µg /puff 1 puff twice daily	Fostair Nexthaler 100/6 formoterol fumarate dihydrate 6μg and beclometasone dipropionate 100μg /puff 2 puffs twice daily	Fostair Nexthaler 200/6 formoterol fumarate dihydrate 6µg and beclometasone dipropionate 200µg /puff 2 puffs twice daily
Real Provide American Science American Sci American Science American Scien			
<b>Pulmicort 200 Turbohaler</b> budesonide 200μg /puff 1 puff twice daily	Symbicort 100/6 Turbohaler formoterol fumarate dihydrate 6µg and budesonide 100µg /puff 2 puffs twice daily	Symbicort 200/6 Turbohaler formoterol fumarate dihydrate 6µg and budesonide 200µg /puff 2 puffs twice daily	Symbicort 400/12 Turbohaler formoterol fumarate dihydrate 12µg and budesonide 400µg /puff 2 puffs twice daily
Publicity of the second			Transa
Flixotide 100 Accuhaler fluticasone propionate 100µg /inhalation 1 -2 puffs twice daily	Relvar Ellipta 92/22 vilanterol 22 μg and fluticasone furoate 92 μg /puff 1 puff daily	Relvar Ellipta 92/22 vilanterol 22 μg and fluticasone furoate 92 μg /puff 1 puff daily	Relvar Ellipta 184/22 vilanterol 22µg and fluticasone furoate 184µg /puff 1 puff daily
Hisotide Alaberta	CONTRACTOR CONTRA	The second secon	Concentration of the second se



## LSCMMG Asthma Guideline for Adults (aged 17 years and over): **EXAMPLE** Inhaler Pathways for **MART Regimen**

- All inhalers must be prescribed by brand.
- Check Inhaler technique at every visit.
- A Dry Powder Inhaler (DPI) should be the first choice for inhaled therapy, if clinically appropriate
- A routine separate reliever inhaler is not needed.
- In persons using a MART regime, a persistent requirement for PRN doses of their inhaler more than twice per week indicates poor asthma control and should prompt a review of therapy.
- If necessary to Increase ICS to a high maintenance dose + LABA then change to a fixed dose regimen
- Any new inhaler or change in regimen should be reviewed after 4 weeks
- Please consider environmental impact See Greener Asthma Adult Guideline

Stepping UP			
Stepping DOWN			
Low Dose ICS + LABA	Medium Dose ICS +LABA		
Fostair Nexthaler 100/6	Fostair Nexthaler 100/6		
formoterol fumarate dihydrate 6μg and beclometasone dipropionate 100μg	formoterol fumarate dihydrate 6µg and beclometasone dipropionate 100µg		
/puff	/puff		
1 puff twice daily	2 puffs twice daily		
Additional puffs as required (Max of 8 / day)	Additional puffs as required (Max of 8 / day)		
Symbicort 200/6 Turbohaler	Symbicort 200/6 Turbohaler		
formoterol fumarate dihydrate 6µg and budesonide 200µg /puff	formoterol fumarate dihydrate 6μg and budesonide 200μg /puff		
1 puff twice daily	2 puffs twice daily		
Additional puffs as required (Max of 12 / day)	Additional puffs as required (Max of 12 / day)		
Duoresp Spiromax 160/4.5	Duoresp Spiromax 160/4.5		
formoterol fumarate dihydrate 6μg and budesonide 200μg /puff	formoterol fumarate dihydrate 6µg and budesonide 200µg /puff		
1 puff twice daily	2 puffs twice daily		
Additional puffs as required (Max of 12 / day)	Additional puffs as required (Max of 12 / day)		
Fobumix Easyhaler 160/4.5	Fobumix Easyhaler 160/4.5		
formoterol fumarate dihydrate 4.5μg and budesonide 160μg /puff	formoterol fumarate dihydrate 4.5µg and budesonide 160µg /puff		
1 puff twice daily	2 puffs twice daily		
Additional puffs as required (Max of 12 / day)	Additional puffs as required (Max of 12 / day)		

